

MAUSER
S P E Z I A L

Integrated heavy duty lockstitch sewing machine

**MH1341-E3-CJG/SX-PAK
MH1345-E3-CJG/SX-PAK**



www.collierequipment.com

Collier Equipment
100 Mill Creek Circle/Po Box 175
Lexington, Alabama 35648 USA
Phone: (256)229-6595 Fax: (256)229-6779

“毛瑟”品牌的历史里程碑 / *Milestones in the history of trademark “MAUSER”*

1812 The royal armaments factory in Oberndorf is founded
位于奥伯恩多夫的皇家军备制造厂成立

1872 Company founded by the Mauser brothers
毛瑟兄弟成立公司

1920 After world war one, the company expands its portfolio,
inter alia to measuring devices and automobiles, like the
Mauser Mono-Track-Car
第一次世界大战后，公司主要投资于测量仪器和汽车行业，
比如毛瑟的单轨道汽车



1923 The first Mauser special sewing machine is introduced.
(German Patent: DE 410 952)
German TM: 336 284 is established
第一台毛瑟特种缝纫机诞生。(德国专利号: DE 410 952)
德国商标336 284成立



1929 At the international exhibition in Barcelona, Mauser is awarded
with the Grand Prix for its sewing machine Type BHE
在巴塞罗那的国际展览会上，毛瑟凭借缝纫机机种“BHE”被授予大奖



1950 The production of industrial sewing machines becomes part of
IWK Augsburg AG “Mauser” introduces automatically lubri-
cated coverlock sewing machines and the “Mauserlock-
Armbwärts-Viernadel-Sechsfadenmaschine”
 (“Mauserlock” four needles six thread feed-off-the-arm
machine)
工业缝纫机成为卡尔斯鲁厄奥格斯堡工业厂股份公司生产产品的一部分
毛瑟引进有自动供油功能的包缝和绷缝两用机和“Mauserlock”
(四针六线曲臂机)



The trade mark “MAUSER SPEZIAL” is established
(German TMs DE 618 326)
“MAUSER SPEZIAL” 商标成立。
(德国商标号: DE 618 326)



1975 The “MAUSER SPEZIAL”-product line is bought by G. M. Pfaff
AG (today Pfaff Industriesysteme und Maschinen GmbH)
G. M. Pfaff AG 收购 “MAUSER SPEZIAL” 的产品线(现百福工业系
统及机械有限责任公司)

2010 New Logo and TMs are introduced
European TMs: 9 928 805, 9 359 167
新的徽标和商标成立。
欧洲商标号: 9 928 805, 9 359 167



2013 SG Group Co. Ltd. takes over Pfaff
上工申贝(集团)股份有限公司收购百福公司

2016 New Logo and TMs are introduced
新的徽标和商标成立。



机器说明/Machine Description

本系列机型是电控箱、操作面板、马达一体化的大旋梭厚料缝纫机，配备了动力强劲的750W驱动电机，适用于缝制箱包、沙发、皮革等中厚料、厚料并且线迹优美。同时，还可选配自动抬压脚。

This series is an integrated control box, panel, servo motor, sewing machines for heavy duty with large hook and powerful 750W motor. It's suitable for sewing handbags, sofa, leather etc. from medium material and heavy duty material with excellent stitch. Meanwhile, optional auto presser foot lift is available.

型号描述/Model Descriptions

品牌代号 Brand	机种代号 Machine Type	位/P 8、9	位/P 8、9	位/P 8、9	位/P 8、9	布料厚度 Thickness	位/P 11、12	位/P 11、12
Mauser	H:皮革厚料机 H:Heavy duty and leather sewing machines	无:普通机 Blank:Normal type	E1:一体单剪线 E1:Integrated with trimmer	E4:一体四自动 E4:Integrated 4 auto functions	D3:三自动 D3:3 auto functions	B:中厚类 B:Medium heavy	J:进口标准旋梭 J:Imported standard hook	CG:国产大梭 CG:Chinese big hook
		E0:一体机 E0:Integrated type	E3:一体三自动 E3:Integrated 3 auto functions	D0:节能直驱 D0:Energy saving & direct drive	D4:四自动 D4:4 auto functions	D:极厚类 D:Extra heavy	C:国产标准旋梭 C:Chinese standard hook	JG:进口大梭 JG: Imported big hook
M H 1 3 4 - - C J G / 								
位/P 3 1:2000rpm 3:3800rpm	位/P 4 1:1100系列/series 2:1200系列/series 3:1300系列/series 4:1400系列/series 5:2500系列/series	位/P 4 3:筒式 3:Cylinder bed 9:立柱式 9:Postbed	位/P 5 1:单针双同步 1:Single Needle top&bottom feed 2:双针双同步 2:Double Needle top&bottom feed	3:单针滚轮压脚 3:Single Needle roller presser foot 4:双针滚轮压脚 4:Double Needle roller presser foot	5:单针三同步 5:Single Needle Unison Feed 6:双针三同步 6:Double Needle Unison Feed	加装置 Optional device	AK:外置电动抬压脚 AK:External electrical auto footlifter PAK:外置气动抬压脚 PAK:External pneumatic auto footlifter SX:自动松线装置 SX:Auto thread release device	

技术参数/Technical Data

													
MH 1341-CJG	★	★	—	—	—	—	38	9	8/16	DPx17 #22	2200	—	★
MH 1345-CJG	★	—	★	—	—	—	38	9	8/16	DPx17 #22	2200	—	★
MH1341-D-CJG	★	★	—	—	—	—	38	9	8/16	DPx17 #22	2200	—	★
MH1345-D-CJG	★	—	★	—	—	—	38	9	8/16	DPx17 #22	2200	—	★
MH1341-E3-CJG	★	★	—	★	★	—	38	9	8/16	DPx17 #22	2200	—	★
MH1345-E3-CJG	★	—	★	★	★	—	38	9	8/16	DPx17 #22	2200	—	★
MH1341-E3-CJG/SX-PAK	★	★	—	★	★	★	38	9	8/16	DPx17 #22	2200	—	★
MH1345-E3-CJG/SX-PAK	★	—	★	★	★	★	38	9	8/16	DPx17 #22	2200	—	★


本机优势/Advantages




750W强劲驱动
Powerful 750W motor



内外压脚交替量可调
Adjustable alternating foot volume



自动(气动)抬压脚功能
Presser foot lifter (pneumatic) function



自动松线功能
Auto thread release device

技术参数:

送布方式 :

间歇送布 (脉冲步进马达驱动)

针距长度 :

0.05-9毫米

压脚高度 :

10-16毫米

间歇压上行程 :

0或2-8毫米

马达 :

Ac伺服电机 750w直接驱动方式

Feeding Device :

Interval feeding (Driven by pulse stepping motor)

Stitch length :

0.05-9mm

Height of presser foot :

10-16mm

Intermittent up stroke:

Zero or 2-8mm

Motor :

AC servo motor, 750w direct drive



关注企业微信公众号
上工申贝集团



关注企业微信公众号
DAPShanghai



ORIGINATED FROM
GERMANY

Sales & Service Provided By:

www.collierequipment.com

Collier Equipment

**100 Mill Creek Circle/Po Box 175
Lexington, Alabama 35648 USA**

Phone: (256)229-6595 Fax: (256)229-6779